

Introducción a la línea de comandos

- `vagrant list-commands` (los más interesantes)
 - `box`: manages boxes: installation, removal, etc.
 - `connect`: conexión a entorno Vagrant remoto
 - `destroy`: stops and deletes all traces of the vagrant machine
 - `global-status`: outputs status Vagrant environments for this user
 - `halt`: stops the vagrant machine
 - `help`: shows the help for a subcommand
 - `init`: initializes a new Vagrant environment by creating a Vagrantfile
 - `list-commands`: outputs all available Vagrant subcommands, even non-primary ones
 - `login`: log in to HashiCorp's Vagrant Cloud
 - `package`: packages a running vagrant environment into a box
 - `plugin`: manages plugins: install, uninstall, update, etc.
 - `port`: displays information about guest port mappings
 - `powershell`: connects to machine via powershell remoting
 - de microsoft (ojo licenciamiento)
 - `provider`: show provider for this environment
 - quien gestiona las máquinas virtuales
 - `provision`: provisions the vagrant machine
 - `push`: deploys code in this environment to a configured destination
 - Atlas
 - `rdp`: connects to machine via RDP
 - microsoft
 - `reload`: restarts vagrant machine, loads new Vagrantfile configuration
 - `resume`: resume a suspended vagrant machine
 - `rsync`: syncs rsync synced folders to remote machine
 - `rsync-auto`: syncs rsync synced folders automatically when files change
 - `snapshot`: manages snapshots: saving, restoring, etc.
 - `ssh`: connects to machine via SSH
 - `ssh-config`: outputs OpenSSH valid configuration to connect to the machine
 - `status`: outputs status of the vagrant machine
 - `suspend`: suspends the machine
 - `up`: starts and provisions the vagrant environment
 - `version`: prints current and latest Vagrant version

From:

<https://matebcn.eu/> - **miguel angel torres egea**

Permanent link:

<https://matebcn.eu/info:cursos:openwebinars:vagrant:cli>

Last update: **04/07/2018 17:27**

