

fichero apache conf3

conf3

otro_ejemplo

```
ServerName localhost

<VirtualHost *:80>

    ServerAdmin admin@rutorrent
    ServerName localhost
    DocumentRoot /var/rutorrent

    <Directory />
        AllowOverride None
        Order deny,allow
        Deny from all
    </Directory>
    <Location />
        AuthType Basic
        AuthName "My ruTorrent web site"
        AuthUserFile "/etc/apache2/rutorrent_passwd"
        Require valid-user
        Order allow,deny
        Allow from all
    </Location>
    <Location ~ "^/rutorrent/(conf|share)">
        Order deny,allow
        Deny from all
    </Location>
    <Location ~ "/\\.svn">
        Order deny,allow
        Deny from all
    </Location>
    <Location "/RPC00001">
        AuthType Basic
        AuthName "My ruTorrent web site"
        AuthUserFile "/etc/apache2/rutorrent_passwd"
        Require user yes
    </Location>
</VirtualHost>
<VirtualHost *:443>
    SSLEngine On
    SSLCertificateFile /etc/apache2/rutorrent.pem
    ServerAdmin admin@rutorrent
    ServerName localhost
    DocumentRoot /var/rutorrent

    <Directory />
        AllowOverride None
        Order deny,allow
        Deny from all
```

```
</Directory>
<Location />
    AuthType Basic
    AuthName "My ruTorrent web site"
    AuthUserFile "/etc/apache2/rutorrent_passwd"
    Require valid-user
    Order allow,deny
    Allow from all
</Location>
<Location ~ "^/rutorrent/(conf|share)">
    Order deny,allow
    Deny from all
</Location>
<Location ~ "/\\.svn">
    Order deny,allow
    Deny from all
</Location>
<Location "/RPC00001">
    AuthType Basic
    AuthName "My ruTorrent web site"
    AuthUserFile "/etc/apache2/rutorrent_passwd"
    Require user yes
</Location>
</VirtualHost>
```

From:
<https://matebcn.eu/> - miguel angel torres egea

Permanent link:
<https://matebcn.eu/linux:debian:seedbox:metodo1:confapache3>

Last update: **17/01/2015 00:11**

